Dart Aerospace Ltd. Thursday, 6/21/2007 2:27:01 PM Date: Kim Johnston User: **Process Sheet** OK TO PROCEED : TUBE ASSEMBLY Customer : CU-DAR001 Dart Helicopters Services **Drawing Name** : 33030 Job Number 10921 **Estimate Number** NIA : D2003041 Part Number P.O. Number : *UNDER REVIEW : 6/21/2007 S.O. No. : NIA **Drawing Number** This Issue : N/A Prsht Rev. Project Number : SMALL /MED FAB. **Drawing Revision** First Issue Material Previous Run : 7/28/2007 **Due Date** Written By Checked & Approved By 99.11.11 Re-format EC : Est: B **Additional Product** Job Number: Description: Machine Or Operation: Seq. #: DOCUMENT CONTROL 1.0 Comment: DOCUMENT CONTROL Photocopy bluefile & type labels per PPP D2003-041 304 RD Tube .500 x .035W M304TR0500W035 2.0 -- Comment: Qty.: 0.5145 f(s)/Unit Total: 2.5725 f(s) Batch: <u>M104880</u> Material: 1/2"Æ x 0.035" wall AISI 304 SS tubing M26506 Firesleeve-crkl .375IDia 3.0 Comment: Qtv.: 0.5250 f(s)/Unit Total: 2.6250 f(s) Material: M2650-6 Heat sleeve MS208198J 4.0 Total: 10.0000 Each(s) Comment: Qty.: 2.0000 Each(s)/Unit Pick: on Batch M103176 x4/M103344x6 Qty Part Number Description 2 MS20819-8J Sleeve 5.0 AN8188J Nut Comment: Qty.: 2.0000 Each(s)/Unit Total: 10.0000 Each(s) Pick:

Page 1

Qty Part Number

2 AN818-8J

Description

Form: mrocess

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES											
DATE	STEP		PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector					
			• ,										
			•										
			•										
		•											
		,											

ναπ No:	PAR #:	Fault Category:	NCR: Yes No DQA:	Date: <u>010010</u>
			QA: N/C Closed:	Date:

	W	ORK ORD	ER NON-CONFORMANC	E (NCR)						
	Description of NC		Corrective Action Section B		Varification	Annessal	A			
STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	Approval QC Inspecto			
	,									
	*									
			`							
	•									
	STEP	STEP Description of NC	STEP Description of NC Section A Initial	STEP Description of NC Section A Initial Chief Eng Chief Eng	STEP Description of NC Section A Chief Eng Chi	STEP Section A Initial Chief Eng Chief Eng Chief Eng Section C Section C	STEP Description of NC Section A Initial Chief Eng Corrective Action Section B Sign & Date Chief Eng Chief			

NOTE: Date & initial all entries

Date: Thursday, 6/21/2007 2:27:02 PM User: Kim Johnston **Process Sheet** Drawing Name: TUBE ASSEMBLY Customer: CU-DAR001 Dart Helicopters Services Job Number: 33030 Part Number: D2003041 Job Number: Description: Seq. #: **Machine Or Operation:** Heat Shrink D2182 6.0 1.8750 f(s) Comment: Qty.: Total: 0.3750 f(s)/Unit Pick: **Qty Part Number** Description Batch 1 D2182-045 Heat shrink SMALL & MEDIUM FAB RESOURCE 1 SMALL FAB 1 7.0 Comment: SMALL & MEDIUM FAB RESOURCE 1 1-Cut: 5.88" long as per Dwg D2003 2-Cut: 6.00" long as per Dwg D2003 3-Form tube as per template D2003-041 4-Assemble as per Dwg D2003 8.0 INSPECT WORK TO CURRENT STEP QC5 Comment: INSPECT WORK TO CURRENT STEP PACKAGING RESOURCE #1 9.0 Comment: PACKAGING RESOURCE #1 1dentify and Stock Location: 10.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE Job Completion 1-6

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGE	WORK ORDER CHANGES										
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector						
						·							
Part No):	PAR #: Fault Category:	NCR: Ye	s No DQ	A:	Date: _	. <u>,</u>						

QA: N/C Closed: ____ Date: ____

NCR:		W	ORK OR	DER NON-CONFORMANC	E (NCR)									
		Description of NC		Corrective Action Section B		Verification	Annroyal	Annaval						
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector						
						,								
							_							
						·								
		·												

NOTE: Date & initial all entries





DESIG	4)	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHEC	KFP_	APPROVED	DRAWING NO. REV. B
4	46	1 44	D2003 SHEET 1 OF 2
DATE)		TITLE SCALE
99.0	06.08		206 CABIN HEATER TUBE ASSEMBLIES NTS
Α		90.04.09	NEW ISSUE
В		99.06.08	UPDATE PER TEMPLATES; ADD P/N'S; 0.025 TUBING NOW 0.035 (TSR1049)

RELEASED 44.06.09 KE

UNDER REVIEW

CC. 02.21 BB | lengths wrong

4030602

								<u> </u>		when more		
		HEATSLEEVE LENGTH ¹	CUT LENGTH OF TUBE ²	MS20819-8J SLEEVE	AN818-8J NUT	MS20819-8D SLEEVE	AN818-8D NUT	MS20819-6D SLEEVE	AN818-6D NUT	DESC	MATERIAL ^{4/6/7}	VENDOR OR
P/N	TEMPLATE		6.00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-001	T2003-001	5.2	6.00 8.12		 		-	2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-003	T2003-003	7.3					 	2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-005	T2003-005	9.8	10.62					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-007	T2003-007	20.0	19.63					2		TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-009	T2003-009	12.38	12.44						2			
D2003-011	T2003-011	33.31	32.38	ļ		<u> </u>		2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-013	T2003-013	12.7	13.54	ļ	ļ		<u> </u>	2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-015	T2003-015	17.2	18.00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-017	T2003-017	17.0	16.25					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-019	T2003-019	9.8	10.62			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-021	T2003-021	N/A	2.25			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-023	T2003-023	4.5	5,33			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-025	T2003-025	9.8	10.60			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-027	T2003-027	7.25	7.38			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-029	T2003-029	17.2	18.00			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-031	T2003-031	14.6	15.38	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-033	T2003-033	29.75	29.62	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-035	T2003-035	24.7	27.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-037	T2003-037	24.81	23.38	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-039	T2003-039	34.0	34.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-041	T2003-041	6.0	5.88	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-043	T2003-043	11.7	10.75	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-045	T2003-045	3.50	2.44	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-047	T2003-047	5.56	5.56	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-049	T2003-049	33.2	34.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-077	T2003-077	N/A	6.25					1	1	JET	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-101	T2003-101	13.25	13.13					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-103	T2003-103	12.38	12.00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-105	T2003-105	10.75	10.60					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-107	T2003-107	12.75	12.25					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-109	T2003-109	8.25	8.125			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-600/6
D2003-111	T2003-111	4.75	4.625			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-600/6
D2003-116	T2003-116	4.0								HEATSLEEVE	M2650-20 CRINKLE-SOFT	STRATOFLEX
D2003-120	T2003-120	4.0								HEATSLEEVE	M2650-16 CRINKLE-SOFT	STRATOFLEX
D2003-14	T2003-14	4.0								HEATSLEEVE	M2650-14 CRINKLE-SOFT	STRATOFLEX
D2003-16	T2003-16	4.0								HEATSLEEVE	M2650-16 CRINKLE-SOFT	STRATOFLEX
D2003-10	T2003-205	9.75	9.60					2	2	TUBE ASS'Y	6061-T6 0.375 OD x10,035 Wh	
D2003-207	T2003-207	3.75	3.75					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
22000 207	1200										RITURN	
											ENGINEERI	NG
L	<u> </u>										77770778770777	


ok.

UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE

NO 33030











UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

Notes:

- (1) USE STRATOFLEX M2650-6 CRINKLE-SOFT HEATSLEEVE.
- (2) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATES.
- (3) TUBES TO BE FLARED 30° TO MATE WITH FITTINGS MADE TO MS33514.
- (4) ENSURE SEAMLESS TUBING IS USED.
- (5) INSTALL HEATSLEEVE OVER ALL TUBES WITH A DESIGNATED LENGTH OF HEATSLEEVE PER THE PARTS LIST.
- (6) 5052 (WW-T-700/4) TUBING MAY BE SUBSTITUTED WHEN 6061 TUBING IS NOT AVAILABLE.
- (7) 0.049 WALL THICKNESS CRES TUBING MAY BE SUBSTITUTED WHEN 0.035 IS NOT AVAILABLE.
- (8) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.

